≥6

📵 AGARWAL BANDHU GYAN KENDRA RM |

**BIOLOGY** 

Held on: 17/07/2022



## AGARWAL BANDHU GYAN KENDRA RM

**NEET / IIT-JEE / FOUNDATION CLASSES** 

12, Surya Nagar, Near Deewani Crossing, M.G. Road, Agra.

## **NEET(UG) PAPER - 2022 EXAMINATION**

(Held on Sunday 17th July 2022)

TIME: 3 HRS. 20 MIN. M.M.: 720

#### Important Instructions:

- The test is of 3.20 hours duration and the Test Booklet contains 200 multiple choice questions 1. (Four options with a single correct answer). There are two sections in each subject, i.e. Section-A & Section-B. You have to attempt all 35 questions from Section-A & only 10 questions from Section-B out of 15. (Candidates are advised to read all 15 questions in each subject of Section-B before they start attempting the question paper. In the event of a candidate attempting more than ten questions, the first ten questions answered by the candidate shall be evaluated.)
- Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For 2. every wrong response 1 mark shall be deducted from the total scores. The maximum marks are 720.
- Use Blue / Black Ball point Pen only for writing particulars on this page / marking responses on 3. Answer Sheet.
- 4. Rough work is to be done in the space provided for this purpose in the Test Booklet only.
- On completion of the test, the candidate must handover the Answer Sheet to the Invigilator before 5. leaving the Room / Hall. The candidates are allowed to take away this Test Booklet with them.
- The CODE for this Booklet is T2. 6.
- 7. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet. Use of white fluid for correction is NOT permissible on the Answer Sheet.
- Each candidate must show on-demand his/her Admission Card to the Invigilator. 8.
- 9. No candidate, without special permission of the Centre Superintendent or Invigilator, would leave his/her seat.
- 10. Use of Electronic/Manual Calculator is prohibited.
- The candidates are governed by all Rules and Regulations of the examination with regard to their 11. conduct in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
- No part of the Test Booklet and Answer Sheet shall be detached under any circumstances. 12.
- The candidates will write the Correct Test Booklet Code as given in the Test Booklet / Answer Sheet 13. in the Attendance Sheet.





ABGK CLASSES

ABGK

CLASSES

ABGK CLASSES

ABGK

ABGK

CLASSES

A B	AGARWAL BANDHU GYAN KENDRA RM	BIOLOGY 3	
9.		rns per mm. If 1 A current flows in the solenoid, the solenoid is (2022)	BGK C
10.	Let $T_1$ and $T_2$ be the energy of an electron in atoms, respectively. According to the Bohr's (a) 4:1 (b) 4:9	the first and second excited states of hydrogen s model of an atom, the ratio $T_1:T_2$ is (2022) (c) 9:4 (d) 1:4	
11.	A light ray falls on a glass surface of refr between the refracted and reflected rays v (a) 60° (b) 90°	factive index $\sqrt{3}$ , at an angle 60°. The angle vould be (2022) (c) 120° (d) 30°	
12.	If a soap bubble expands, the pressure install (a) Increases (c) Is equal to the atmospheric pressure		
13.	Plane angle and solid angle have (a) Dimensions but no units (c) Both units and dimensions	(b) No units and no dimensions (d) Units but no dimensions	(S)
14.	permeability $\mu_r$ , the velocity of light, $\nu$ is given		D
15.		$00~\Omega$ are connected in parallel in an electrical	S E S
16.	(a) 2 : 1 (b) 1 : 4	loped in $100  \Omega$ to that in $200  \Omega$ in a given time is (c) 4 : 1 (d) 1 : 2 (2022) e de Broglie wavelength ( $\lambda$ ) of a particle and its (2022)	(3
	(a) (b)	(c) (d)	ASSES®
17.	plane of loop is perpendicular to the direction the loop is	p→ p→ 1 Ω is placed in a magnetic field of 0.5 T. If the on of magnetic field, the magnetic flux through (2022)	, i
18.	(a) 0.5 weber (b) 1 weber The dimensions [MLT <sup>-2</sup> A <sup>-2</sup> ] belong to the (a) Self inductance (c) Electric permittivity	(c) Zero weber (d) 2 weber (2022) (b) Magnetic permeability (d) Magnetic flux	ن ا

19. When two monochromatic lights of frequency, v and  $\frac{v}{2}$  are incident on a photoelectric metal, their stopping potential becomes  $\frac{V_s}{2}$  and  $V_s$  respectively. The threshold frequency for this metal is (2022)for this metal is

(a) 3v

(b) 2/3 υ

(c) 3/2 υ

(d) 2v



## (E) AGARWAL BANDHU GYAN KENDRA RM

## **BIOLOGY**

4

ABGK

CLASSES

ABGK CLASSES


ABGK CLASSES

ABGK

CLASSES

(2022)

- **20.** In half wave rectification, if the input frequency is 60 Hz, then the output frequency would be (2022)
  - (a) 30 Hz
- (b) 60 Hz
- (c) 120 Hz
- (d) Zero
- **21.** An ideal gas undergoes four different processes from the same initial state as shown in the figure below. Those processes are adiabatic, isothermal, isobaric and isochoric. The curve which represents the adiabatic process among 1, 2, 3 and 4 is (2022)



(a) 2

(b) 3

(c) 4

(d) 1

22. Match List-I with List-II.

#### List-I

## (Electromagnetic waves)

- (1) AM radio waves
- (2) Microwaves
- (3) Infrared radiations
- (4) X-rays


#### List-II

### (Wavelength)

- (i)  $10^{-10}$  m
- (ii) 10<sup>2</sup> m
- (iii) 10<sup>-2</sup> m
- (iv) 10<sup>-4</sup> m

Choose the correct answer from the options given below

- (a) (1) (iii), (2) (ii), (3) (i), (4) (iv)
- (b) (1) (iii), (2) (iv), (3) (ii), (4) (i)
- (c) (1) (ii), (2) (iii), (3) (iv), (4) (i)
- (d) (1) (iv), (2) (iii), (3) (ii), (4) (i)
- 23. The displacement-time graphs of two moving particles make angles of 30° and 45° with the x-axis as shown in the figure. The ratio of their respective velocity is (2022)



- (a) 1:1
- (b) 1:2
- (c) 1 :  $\sqrt{3}$
- (d)  $\sqrt{3}:1$
- 24. In a Young's double slit experiment, a student observes 8 fringes in a certain segment of screen when a monochromatic light of 600 nm wavelength is used. If the wavelength of light is changed to 400 nm, then the number of fringes he would observe in the same region of the screen is (2022)
  - (a) 8

(b) 9

- (c) 12
- (d) 6

	AGARWAL BANDHU	GYAN KENDRA RM	BIOL	DGY	5				
25.	The peak voltage of	the ac source is equa	l to		(2022)				
	(a) The rms value of	•			,				
	(b) $\sqrt{2}$ times the rms	s value of the ac sourc	e						
	(c) $1/\sqrt{2}$ times the rr	ns value of the ac sou	rce						
		age supplied to the cir							
26.		on a stretched string is se wave along the str		tio of the initial a	and final (2022)				
	(a) $\sqrt{2}$ : 1	(b) 1: √2	(c) 1:2	(d) 1 : 1					
27.	Given below are two	statements.			(2022)				
		avart's law gives us the ent ele <mark>ment (Id</mark> I) of a ci		•	ength of				
Statement II: Biot-Savart's law is analogous to Coulomb's inverse square law of with the former being related to the field produced by a scalar source, Idl while being produced by a vector source, q.  In light of above statements choose the most appropriate answer from the options and the low.									
	In light of above statements choose the most appropriate answer from the options given below								
	(a) Both Statement I and Statement II are incorrect								
	(b) Statement I is correct and Statement II is incorrect								
	(c) Statement I is incorrect and Statement II is correct								
	(d) Both Statement I	and Statement II are c	correct						
28.	As the temperature increases, the electrical resistance. (2022)								
	(a) Decreases for both conductors and semiconductors								
	(b) Increases for con	ductors but decreases	s for semiconductors						
	(c) Decreases for conductors but increases for semiconductors								
	(d) Increases for both	n conductors and sem	iconductors						
29.		be ideally radiated by			(2022)				
	(a) 36 × 10⁴ J	(b) 36 × 10 <sup>5</sup> J		(d) $36 \times 10^7 \mathrm{J}$					
30. A body of mass 60 g experiences a gravitational force of 3.0 N, when placed a lar point. The magnitude of the gravitational field intensity at that point is									
	(a) 50 N/kg	(b) 20 N/kg	(c) 180 N/kg	(d) 0.05 N/kg					
31.	In the given nuclear	reaction, the element	X is $^{22}_{11}$ Na $\rightarrow$ X + e <sup>+</sup> +	V	(2022)				
	(a) <sup>23</sup> <sub>10</sub> Ne	(b) <sup>22</sup> <sub>10</sub> Ne	(c) 22 <sub>12</sub> Mg	(d) <sup>23</sup> Na					
32.	The angle between t	he electric lines of for	ce and the equipotent	ial surface is	(2022)				
	(a) 45°	(b) 90°	(c) 180°	(d) 0°					
33.		gth 10 m and radius (1 wire for an electric fie			Ω. The <b>(2022)</b>				
	(a) 10 <sup>6</sup> A/m <sup>2</sup>	(b) 10 <sup>-5</sup> A/m <sup>2</sup>	(c) 10 <sup>5</sup> A/m <sup>2</sup>	(d) 10 <sup>4</sup> A/m <sup>2</sup>	-				

## 🔁 AGARWAL BANDHU GYAN KENDRA RM

## **BIOLOGY**

6

ABGK

CLASSES

ABGK CLASSES

ABGK CLASSES

ABGK


CLASSES


ABGK

- **34.** The ratio of the distances travelled by a freely falling body in the 1st, 2nd, 3rd and 4th second (2022)
  - (a) 1:4:9:16
- (b) 1:3:5:7
- (c) 1:1:1:1
- (d) 1:2:3:4
- **35.** An electric lift with a maximum load of 2000 kg (lift + passengers) is moving up with a constant speed of 1.5 ms<sup>-1</sup>. The frictional force opposing the motion is 3000 N. The minimum power delivered by the motor to the lift in watts is: (g = 10 ms<sup>-2</sup>) (2022)
  - (a) 20000
- (b) 34500
- (c) 23500
- (d) 23000

### **SECTION-B**

- **36.** The volume occupied by the molecules contained in 4.5 kg water at STP, if the intermolecular forces vanish away is (2022)
  - (a)  $5.6 \times 10^3 \,\mathrm{m}^3$
- (b)  $5.6 \times 10^{-3} \,\mathrm{m}^3$
- (c)  $5.6 \, \text{m}^3$
- (d)  $5.6 \times 10^6 \,\mathrm{m}^3$
- 37. The area of a rectangular field (in m²) of length 55.3 m and breadth 25 m after rounding off the value for correct significant digits is (2022)
  - (a) 1382
- (b) 1382.5
- (c)  $14 \times 10^2$
- (d)  $138 \times 10^{1}$
- **38.** A capacitor of capacitance C = 900 pF is charged fully by 100 V battery B as shown in figure (a). Then it is disconnected from the battery and connected to another uncharged capacitor of capacitance C = 900 pF as shown in figure (b). The electrostatic energy stored by the system (b) is (2022)





- (a) 3.25 × 10<sup>-6</sup> J
- (b)  $2.25 \times 10^{-6}$  J
- (c) 1.5 × 10<sup>-6</sup> J
- (d) 4.5 × 10<sup>-6</sup> J

39. Match List-I with List-II.

### (2022)

#### List-I

#### List-II

- (1) Gravitational constant (G)
- (i)  $[L^2T^{-2}]$
- (2) Gravitational potential energy
- (ii)  $[M^{-1}L^3T^{-2}]$

(3) Gravitational potential

(iii)[LT<sup>-2</sup>]

(4) Gravitational intensity

 $(iv)[ML^2T^{-2}]$ 

Choose the correct answer from the options given below

- (a) (1) (ii), (2) (iv), (3) (i), (4) (iii)
- (b) (1) (ii), (2) (iv), (3) (iii), (4) (i)
- (c) (1) (iv), (2) (ii), (3) (i), (4) (iii)
- (d) (1) (ii), (2) (i), (3) (iv), (4) (iii)
- **40.** Two pendulums of length 121 cm and 100 cm start vibrating in phase. At some instant, the two are at their mean position in the same phase. The minimum number of vibrations of the shorter pendulum after which the two are again in phase at the mean position is
  - (a) 9

- (b) 10
- (c) 8

- (d) 11
- (2022)



≥6

## 📵 AGARWAL BANDHU GYAN KENDRA RM

## **BIOLOGY**

41. Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): The stretching of a spring is determined by the shear modulus of the material of the spring.

Reason (R): A coil spring of copper has more tensile strength than a steel spring of same dimensions.

In the light of the above statements, choose the most appropriate answer from the options given below

- (a) Both (A) and (R) are true and (R) is not the correct explanation of (A)
- (b) (A) is true but (R) is false
- (c) (A) is false but (R) is true
- (d) Both (A) and (R) are true and (R) is the correct explanation of (A)
- **42.** A ball is projected with a velocity, 10 ms<sup>-1</sup>, at an angle of 60° with the vertical direction. Its speed at the highest point of its trajectory will be
  - (a)  $5\sqrt{3} \text{ ms}^{-1}$
- (b) 5 ms<sup>-1</sup>
- (c) 10 ms<sup>-1</sup>
- (d) Zero
- 43. Two transparent media A and B are separated by a plane boundary. The speed of light in those media are  $1.5 \times 10^8$  m/s and  $2.0 \times 10^8$  m/s, respectively. The critical angle for a ray of light for these two media is (2022)

  - (a)  $\sin^{-1}(0.750)$  (b)  $\tan^{-1}(0.500)$
- (c)  $tan^{-1}$  (0.750)
- (d) sin<sup>-1</sup> (0.500)

**44.** The truth table for the given logic circuit is

(2022)


ABGK CLASSES

ABGK CLASSES

ABGK CLASSES

CLASSES

CLASSES



AB

**45.** A series LCR circuit with inductance 10 H, capacitance 10  $\mu$ F, resistance 50  $\Omega$  is connected to an ac source of voltage, V = 200 sin(100 t) volt. If the resonant frequency of the LCR circuit is v<sub>o</sub> and the frequency of the ac source is v, then

(a) 
$$V_0 = V = \frac{50}{\pi} Hz$$

(b) 
$$v_0 = \frac{50}{\pi} Hz$$
,  $v = 50 Hz$ 

(c) 
$$V = 100 \text{ Hz}$$
;  $V_0 = \frac{100}{\pi} \text{ Hz}$ 

(d) 
$$v_0 = v = 50 \text{ Hz}$$



≥6

## 🗃 AGARWAL BANDHU GYAN KENDRA RM

### BIOLOGY

8

ABGK CLASSES

ABGK

CLASSES

ABGK

CLASSES

**G**<

ABGK CLASSES


ABGK

CLASSES

ABGK

CLASSES


**46.** A wheatstone bridge is used to determine the value of unknown resistance X by adjusting the variable resistance Y as shown in the figure. For the most precise measurement of X, the resistances P and Q (2022)



- (a) Should be approximately equal and are small
- (b) Should be very large and unequal
- (c) Do not play any significant role
- (d) Should be approximately equal to 2X
- **47.** From Ampere's circuital law for a long straight wire of circular cross-section carrying a steady current, the variation of magnetic field in the inside and outside region of the wire is
  - (a) A linearly increasing function of distance upto the boundary of the wire and then linearly decreasing for the outside region.
  - (b) A linearly increasing function of distance r upto the boundary of the wire and then decreasing one with 1/r dependence for the outside region.
  - (c) A linearly decreasing function of distance upto the boundary of the wire and then a linearly increasing one for the outside region.
  - (d) Uniform and remains constant for both the regions.

(2022)

- **48.** A big circular coil of 1000 turns and average radius 10 m is rotating about its horizontal diameter at 2 rad s<sup>-1</sup>. If the vertical component of earth's magnetic field at that place is  $2 \times 10^{-5}$  T and electrical resistance of the coil is 12.56  $\Omega$ , then the maximum induced current in the coil will be
  - (a) 1.5 A
- (b) 1 A
- (c) 2 A
- (d) 0.25 A
- **49.** Two point charges –q and +q are placed at a distance of L, as shown in the figure.



The magnitude of electric field intensity at a distance R(R >>L) varies as

(2022)

- (a)  $\frac{1}{R^3}$
- (b)  $\frac{1}{R^4}$
- (c)  $\frac{1}{R^6}$
- (d)  $\frac{1}{R^2}$
- **50.** A nucleus of mass number 189 splits into two nuclei having mass number 125 and 64. The ratio of radius of two daughter nuclei respectively is (2022)
  - (a) 4:5
- (b) 5:4
- (c) 25:16
- (d) 1:1



Choose the correct answer from the options given below

(a) (1) - (iii), (2) - (i), (3) - (ii), (4) - (iv)

(c) (1) - (ii), (2) - (iii), (3) - (iv), (4) - (i)

(b) (1) - (i), (2) - (ii), (3) - (iv), (4) - (iii)

(d) (1) - (iv), (2) - (i), (3) - (ii), (4) - (iii)

ABGK CLASSES

(2022)

(2022)

(2022)

ABGK CLASSES

CLASSES

ABGK CLASSES

ABGK CLASSES

ABGK

CLASSES

(2022)

(2022)

ABGK

≥6

<b>B</b> AGARWAL	BANDHU	GYAN	KENDRA	RM

## **BIOLOGY**

10

**57.** Given below are two statements:

(2022)

**Statement I**: The boiling points of aldehydes and ketones are higher than hydrocarbons of comparable molecular masses because of weak molecular association in aldehydes and ketones due to dipole - dipole interactions.

**Statement II**: The boiling points of aldehydes and ketones are lower than the alcohols of similar molecular masses due to the absence of H-bonding.

In the light of the above statements, choose the most appropriate answer from the given below

- (a) Both Statement I and Statement II are incorrect
- (b) Statement I is correct but Statement II is incorrect
- (c) Statement I is incorrect but Statement II is correct
- (d) Both Statement I and Statement II are correct
- 58. Match List-I with List-II.

(2022)

ABGK

CLASSES

ABGK

CLASSES

CLASSES

ABGK

CLASSES

ABGK

CLASSES

List-l

List-II

(Products

(Reaction of carbonyl compound with)

formed)
(1) Cyanohydrin

(i) NH<sub>2</sub>OH

(2) Acetal

(ii) RNH<sub>2</sub>

(3) Schiff's base

(iii)alcohol

(4) Oxime

(iv)HCN

Choose the correct answer from the options given below

(a) 
$$(1) - (ii)$$
,  $(2) - (iii)$ ,  $(3) - (iv)$ ,  $(4) - (i)$ 

(b) 
$$(1) - (i)$$
,  $(2) - (iii)$ ,  $(3) - (ii)$ ,  $(4) - (iv)$ 

(c) 
$$(1) - (iv)$$
,  $(2) - (iii)$ ,  $(3) - (ii)$ ,  $(4) - (i)$ 

(d) 
$$(1) - (iii)$$
,  $(2) - (iv)$ ,  $(3) - (ii)$ ,  $(4) - (i)$ 

59. Which one is not correct mathematical equation for Dalton's Law of partial pressure?

Here p = total pressure of gaseous mixture (2022)

(a) 
$$p = n_1 \frac{RT}{V} + n_2 \frac{RT}{V} + n_3 \frac{RT}{V}$$

- (b)  $p_i = \chi_i p$ , where  $p_i =$  partial presure of i<sup>th</sup> gas,  $\chi_i =$  mole fraction of i<sup>th</sup> gas in gaseous mixture
- (c)  $p_i = \chi_i p_i^{\,\circ}$ , where  $\chi_i =$  mole fraction of i<sup>th</sup> gas in gaseous mixture  $p_i^{\,\circ} =$  pressure of i<sup>th</sup> gas in pure state

(d) 
$$p = p_1 + p_2 + p_3$$

**60.** Match **List-I** with **List-II**.

(2022)

List-l

### List-II

### (Drug class)

(Drug molecule)

(1) Antacids

(i) Salvarsan

(2) Antihistamines

(ii) Morphine

(3) Analgesics

(iii) Cimetidine

(4) Antimicrobials

(iv) Seldane

Choose the correct answer from the options given below:

- (a) (1) (iii), (2) (iv), (3) (ii), (4) (i)
- (b) (1) (i), (2) (iv), (3) (ii), (4) (iii)
- (c) (1) (iv), (2) (iii), (3) (i), (4) (ii)
- (d) (1) (iii), (2) (ii), (3) (iv), (4) (i)

36

## 😥 AGARWAL BANDHU GYAN KENDRA RM

### **BIOLOGY**

\_\_\_\_

**61.** Given below are two statements

(2022)

**Statement I**: The boiling points of the following hydrides of group 16 elements increases in the order  $-H_2O < H_2S < H_2Te$ .

**Statement II**: The boiling points of these hydrides increase with increase in molar mass. In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (a) Both Statement I and Statement II are incorrect
- (b) Statement I is correct but Statement II is incorrect
- (c) Statement I is incorrect but Statement II is correct
- (d) Both Statement I and Statement II are correct
- **62.** The IUPAC name of the complex [Ag(H<sub>2</sub>O)<sub>2</sub>] [Ag(CN)<sub>2</sub>] is:

(2022)

ABGK

CLASSES

MABGK CLASSES

ABGK

CLASSES

ABGK

CLASSES

ABGK

CLASSES

- (a) diaquasilver (II) dicyanidoargentate (II) (b) dicyanidosilver (I) diaquaargentate (I)
  - (c) diaguasilver (I) dicyanidoargentate (I) (d) dicyanidosilver (II) diaguaargentate (II)
- 63. Which of the following sequence of reactions is suitable to synthesize chlorobenzene?
  - (a) Phenol, NaNO<sub>2</sub>, HCl, CuCl
- (b) HCI

(2022)

(c) NH<sub>2</sub>, HCl, Heating

(d) Benzene, Cl<sub>2</sub>, anhydrous FeCl<sub>3</sub>

64. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R). (2022)

Assertion (A): ICI is more reactive than I<sub>2</sub>.

Reason (R): I-Cl bond is weaker than I-I bond.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (a) Both (A) and (R) are correct but (R) is not the correct explanation of (A).
- (b) (A) is correct but (R) is not correct
- (c) (A) is not correct but (R) is correct
- (d) Both (A) and (R) are correct and (R) is the correct explanation of (A).
- **65.** The IUPAC name of an element with atomic number 119 is

(2022)

- (a) unnilennium
- (b) unununnium
- (c) ununoctium
- (d) ununennium
- **66.** At 298 K, the standard electrode potentials of  $Cu^{2+}$  / Cu,  $Zn^{2+}$  / Zn,  $Fe^{2+}$  / Fe and  $Ag^+$  / Ag are 0.34 V, 0.76 V, .0.44 V and 0.80 V, respectively.

On the basis of standard electrode potential, predict which of the following reaction cannot occur? (2022)

- (a)  $CuSO_4(aq) + Fe(s) \longrightarrow FeSO_4(aq) + Cu(s)$
- (b)  $FeSO_4(aq) + Zn(s) \longrightarrow ZnSO_4(aq) + Fe(s)$
- (c)  $2CuSO_4(aq) + 2Ag(s) \longrightarrow 2Cu(s) + Ag_2SO_4(aq)$
- (d)  $CuSO_4(aq) + Zn(s) \longrightarrow ZnSO_4(aq) + Cu(s)$

## 😥 AGARWAL BANDHU GYAN KENDRA RM

## **BIOLOGY**

12

67. Which compound amongst the following is not an aromatic compound?

(2022)

ABGK

CLASSES

ABGK

CLASSES

ABGK


CLASSES

ABGK CLASSES

ABGK

ABGK

CLASSES









**68.** Choose the correct statement:

(2022)

- (a) Diamond is covalent and graphite is ionic.
- (b) Diamond is sp<sup>3</sup> hybridised and graphite is sp<sup>2</sup> hybridized.
- (c) Both diamond and graphite are used as dry lubricants.
- (d) Diamond and graphite have two dimensional network.
- **69.** Given below are two statements

(2022)

**Statement I**: Primary aliphatic amines react with HNO<sub>2</sub> to give unstable diazonium salts. **Statement II**: Primary aromatic amines react with HNO<sub>2</sub> to form diazonium salts which are stable even above 300 K. In the light of the above statements, choose the most appropriate answer from the options given below

- (a) Both Statement I and Statement II are incorrect.
- (b) Statement I is correct but Statement II is incorrect.
- (c) Statement I is incorrect but Statement II is correct.
- (d) Both Statement I and Statement II are correct.
- 70. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R). (2022)

Assertion (A): In a particular point defect, an ionic solid is electrically neutral, even if few of its cations are missing from its unit cells.

**Reason (R)**: In an ionic solid, Frenkel defect arises due to dislocation of cation from its lattice site to interstitial site, maintaining overall electrical neutrality.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (a) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (b) (A) is correct but (R) is not correct
- (c) (A) is not correct but (R) is correct
- (d) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- 71. The Kjeldahl's method for the estimation of nitrogen can be used to estimate the amount of nitrogen in which one of the following compounds? (2022)







## 🔁 AGARWAL BANDHU GYAN KENDRA RM

## **BIOLOGY**

**72.** Which of the following p-V curve represents maximum work done?

(2022)

ABGK CLASSES

ABGK

CLASSES


CLASSES

CLASSES

ABGK

CLASSES

ABGK CLASSES



73. Which of the following **Statement Is** not correct about diborane?

(2022)

- (a) The four terminal B-H bonds are two centre two electron bonds.
- (b) The four terminal Hydrogen atoms and the two Boron atoms lie in one plane.
- (c) Both the Boron atoms are sp<sup>2</sup> hybridised.
- (d) There are two 3-centre-2-electron bonds.
- 74. The pH of the solution containing 50 mL each of 0.10 M sodium acetate and 0.01 M acetic acid is [Given pK<sub>a</sub> of CH<sub>3</sub>COOH = 4.57] (2022)
  - (a) 3.57
- (b) 4.57
- (c) 2.57
- (d) 5.57
- 75. Which amongst the following is incorrect statement?

(2022)

- (a) C<sub>2</sub> molecule has four electrons in its two degenerate ð molecular orbitals
  - (b) H<sub>2</sub> ion has one electron
  - (c) O<sub>2</sub> ion is diamagnetic
  - (d) The bond orders of  $O_2^+$ ,  $O_2^-$ ,  $O_2^-$  and  $O_2^{2-}$  are 2,5, 2, 1.5 and 1, respectively.
- 76. Amongst the following which one will have maximum 'lone pair lone pair' electron repulsions? (2022)
  - (a) IF<sub>5</sub>
- (b) SF<sub>4</sub>
- (c) XeF<sub>2</sub>
- (d) CIF<sub>3</sub>
- 77. What mass of 95% pure CaCO<sub>3</sub> will be required to neutralise 50 mL of 0.5 M HCl solution according to the following reaction? (2022)

$$CaCO_{3(s)} + 2HCI_{(aq)} \longrightarrow CaCI_{2(aq)} + CO_{2(q)} + 2H_2O_{(l)}$$

[Calculate upto second place of decimal point]

- (a) 1.32 g
- (b) 3.65 g
- (c) 9.50 g
- (d) 1.25 g
- 78. Identify the incorrect statement from the following

(2022)

- (a) The oxidation number of K in KO<sub>2</sub> is +4.
  - (b) Ionisation enthalpy of alkali metals decreases from top to bottom in the group.
  - (c) Lithium is the strongest reducing agent among the alkali metals.
  - (d) Alkali metals react with water to form their hydroxides.
- 79. Gadolinium has a low value of third ionisation enthalpy because of

(2022)

- (a) high exchange enthalpy
- (b) high electronegativity

(c) high basic character

(d) small size






## 📵 AGARWAL BANDHU GYAN KENDRA RM |

### BIOLOGY

**80.** The given graph is a representation of kinetics of a reaction.

(2022)

ABGK CLASSES



The y and x axes for zero and first order reactions, respectively are

- (a) zero order (y = concentration and x = time), first order (y = rate constant and x = concentration)
- (b) zero order (y = rate and x = concentration), first order (y = t. and x = concentration)
- (c) zero order (y = rate and x = concentration), first order (y = rate and x = t.)
- (d) zero order (y = concentration and x = time), first order (y = t. and x = concentration)

81. The incorrect statement regarding enzymes is

- (a) Like chemical catalysts enzymes reduce the activation energy of bio processes.
- (b) Enzymes are polysaccharides.
- (c) Enzymes are very specific for a particular reaction and substrate.
- (d) Enzymes are biocatalysts.
- **82.** Identify the incorrect statement from the following.

(2022)

(2022)

ABGK CLASSES

ABGK

CLASSES

ABGK CLASSES

- (a) All the five 4d orbitals have shapes similar to the respective 3d orbitals.
- (b) In an atom, all the five 3d orbitals are equal in energy in free state.
- (c) The shapes of  $d_{xy}$ ,  $d_{yz}$  and  $d_{zx}$  orbitals are similar to each other; and  $d_{x^2-y^2}$  and  $d_{z^2}$  are similar to each other.
- (d) All the five 5d orbitals are different in size when compared to the respective 4d orbitals.
- 83. Given below are half cell reactions:

$$MnO_4^- + 8H^+ + 5e^- \longrightarrow Mn^{2+} + 4H_2O,$$
  $E_{Mn^{2+}/MnO_4^-}^{\circ} = -1.510 \text{ V}$ 

$$\frac{1}{2}O_2 + 2H^+ + 2e^- \longrightarrow H_2O,$$
  $E_{O_2/H_2O}^{\circ} = +1.223 \text{ V}$ 

$$E_{O_2/H_2O}^{\circ} = +1.223 \text{ V}$$

Will the permanganate ion, MNO<sub>4</sub> liberate O<sub>2</sub> from water in the presence of an acid?

- (a) No, because  $E_{cell}^{\circ} = -0.287 \text{ V}$
- (b) Yes, because  $E_{cell}^{\circ} = +2.733 \text{ V}$
- (c) No, because  $E_{cell}^{\circ} = -2.733 \text{ V}$
- (d) Yes, because  $E_{cell}^{\circ} = +0.287 \text{ V}$

#### 84. Match List-I with List-II.

#### (2022)

#### List-l

- (1) Li
- (2) Na
- (3) KOH
- (4) Cs

#### List-II

- (i) absorbent for carbon dioxide
- (ii) electrochemical cells
- (iii) coolant in fast breeder reactors
- (iv) photoelectric cell

Choose the correct answer from the options given below:

- (a) (1) (iii), (2) (iv), (3) (ii), (4) (i)
- (b) (1) (i), (2) (iii), (3) (iv), (4) (ii)
- (c) (1) (ii), (2) (iii), (3) (i), (4) (iv)
- (d) (1) (iv), (2) (i), (3) (iii), (4) (ii)

≥6

## 📵 AGARWAL BANDHU GYAN KENDRA RM

### **BIOLOGY**

15

Given below are two statements

(2022)

ABGK CLASSES

ABGK CLASSES

ABGK CLASSES

ABGK

CLASSES

ABGK CLASSES

Statement I: The acidic strength of monosubstituted nitrophenol is higher than phenol because of electron withdrawing nitro group.

Statement II: o-nitrophenol, m-nitrophenol and p-nitrophenol will have same acidic strength as they have one nitro group attached to the phenolic ring.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (a) Both **Statement I** and **Statement II** are incorrect.
- (b) **Statement I** is correct but **Statement II** is incorrect.
- (c) Statement I is incorrect but Statement II is correct.
- (d) Both Statement I and Statement II are correct.

### **SECTION-B**

- 86. The pollution due to oxides of sulphur gets enhanced due to the presence of (2022)
  - (1) particulate matter

(2) ozone

(3) hydrocarbons

(4) hydrogen peroxide

Choose the most appropriate answer from the options given below

87. The correct IUPAC name of the following compound is

(2022)

- (a) 6-bromo-2-chloro-4-methylhexan-4-ol (b) 1-bromo-4-methyl-5-chlorohexan-3-ol
- (c) 6-bromo-4-methyl-2-chlorohexan-4-ol (d) 1-bromo-5-chloro-4-methylhexan-3-ol
- $3O_2(g) \rightleftharpoons 2O_3(g)$  for the above reaction at 298 K, K<sub>c</sub> is found to be  $3.0 \times 10^{-59}$ . If the 88. concentration of O<sub>2</sub> at equilibrium is 0.040 M then concentration of O<sub>3</sub> in M is

(a)  $1.9 \times 10^{-63}$ 

(b)  $2.4 \times 10^{31}$ 

(c)  $1.2 \times 10^{21}$ 

(d)  $4.38 \times 10^{-32}$ 

89. Match List-I with List-II.

(2022)

List-I List-II (Composition) (Ores) (1) Haematite (i)  $Fe_3O_4$ (2) Magnetite (ii) ZnCO<sub>3</sub> (3) Calamine (iii) Fe<sub>2</sub>O<sub>2</sub> (iv)  $[Al_2(OH)_4Si_2O_5]$ (4) Kaolinite

Choose the correct answer from the options given below:

(a) (1)-(iii), (2)-(i), (3)-(ii), (4)-(iv)

(b) (1)-(iii), (2)-(i), (3)-(iv), (4)-(ii)

(c) (1)-(i), (2)-(iii), (3)-(ii), (4)-(iv)

(d) (1)-(i), (2)-(ii), (3)-(iii), (4)-(iv)

36

## 🕀 AGARWAL BANDHU GYAN KENDRA RM

### **BIOLOGY**

16

90. Given below are two statements:

(2022)

ABGK CLASSES

CLASSES

ABGK

CLASSES

ABGK

CLASSES

Statement I: In Lucas test, primary, secondary and tertiary alcohols are distinguished on the basis of their reactivity with conc. HCl + ZnCl<sub>2</sub>, known as Lucas Reagent.

Statement II: Primary alcohols are most reactive and immediately produce turbidity at room temperature on reaction with Lucas Reagent.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (a) Both Statement I and Statement II are incorrect
- (b) Statement I is correct but Statement II is incorrect
- (c) Statement I is incorrect but Statement II is correct
- (d) Both Statement I and Statement II are correct
- **91.** In the neutral or faintly alkaline medium, KMnO<sub>4</sub> oxidises iodide into iodate. The change in oxidation state of manganese in this reaction is from (2022)
  - (a) +6 to +4
- (b) +7 to +3
- (c) +6 to +5
- (d) +7 to +4
- **92.** For a first order reaction  $A \rightarrow Products$ , initial concentration of A is 0.1 M, which becomes 0.001 M after 5 minutes. Rate constant for the reaction in min.1 is (2022)
  - (a) 0.9212
- (b) 0.4606
- (c) 0.2303
- (d) 1.3818
- 93. Compound X on reaction with O<sub>3</sub> followed by Zn/H<sub>2</sub>O gives formaldehyde and 2-methyl propanal as products. The compound X is (2022)
  - (a) 2-Methylbut-1-ene

(b) 2-Methylbut-2-ene

(c) Pent-2-ene

- (d) 3-Methylbut-1-ene
- **94.** A 10.0 L flask contains 64 g of oxygen at 27°C. (Assume O<sub>2</sub> gas is behaving ideally). The pressure inside the flask in bar is [Given R = 0.0831 L bar K.1 mol.1]
  - (a) 498.6
- (b) 49.8
- (c)4.9
- (d) 2.5
- 95. The order of energy absorbed which is responsible for the color of complexes (2022)
  - (1)  $[Ni(H_2O)_2(en)_2]^{2+}$ (a) (3) > (2) > (1)
- (2)  $[Ni(H_2O)_4(en)]^{2+}$  (3)  $[Ni(en)_3]^{2+}$ (b) (3) > (1) > (2)
  - (c)(2) > (1) > (3)
- (d) (1) > (2) > (3)
- **96.** Which one of the following is not formed when acetone reacts with 2-pentanone in the presence of dilute NaOH followed by heating? (2022)

<b>AGARWAL</b>	BANDHU	GYAN	KENDRA	RM

### BIOLOGY

ABGK CLASSES

ABGK

CLASSES

ABGK

CLASSES

ABGK CLASSES

ABGK CLASSES

CLASSES


Find the emf of the cell in which the following reaction takes place at 298 K  $Ni(s) + 2Ag^{+}(0.001 M) \longrightarrow Ni^{2} + (0.001 M) + 2Ag(s)$ 

(2022)

Given that 
$$E_{cell}^{\circ} = 10.5 \text{ V}, \frac{2.303 \text{ RT}}{F} = 0.059 \text{ at } 298 \text{ K}$$

- (a) 1.385 V
- (b) 0.9615 V
- (c) 1.05 V
- (d) 1.0385 V
- If radius of second Bohr orbit of the He<sup>+</sup> ion is 105.8 pm, what is the radius of third Bohr 98. orbit of Li2+ ion? (2022)
  - (a) 15.87 pm
- (b) 1.587 pm
- (c) 158.7 Å
- (d) 158.7 pm
- Copper crystallises in fcc unit cell with cell edge length of 3.608 × 10<sup>-8</sup> cm. The density of 99. copper is 8.92 g cm<sup>-3</sup>. Calculate the atomic mass of copper. (2022)
  - (a) 31.55 u
- (b) 60 u
- (c) 65 u
- (d) 63.1 u
- **100.** The product formed from the following reaction sequence is

(2022)



## BIOLOGY

## **BOTANY** SECTION-A

- 101. Read the following statements about the vascular bundles:
  - (1) In roots, xylem and phloem in a vascular bundle are arranged in an alternate manner along the different radii.
  - (2) Conjoint closed vascular bundles do not possess cambium
  - (3) In open vascular bundles, cambium is present in between xylem and phloem
  - (4) The vascular bundles of dicotyledonous stem possess endarch protoxylem
  - (5) In monocotyledonous root, usually there are more than six xylem bundles present Choose the correct answer from the options given below:
  - (a) (2), (3), (4) and (5) Only
- (b) (1), (2), (3) and (4) Only
- (c) (1), (3), (4) and (5) Only
- (d) (1), (2) and (4) Only
- 102. Identify the correct set of statements
  - (1) The leaflets are modified into pointed hard thorns in Citrus and Bougainvillea.
  - (2) Axillary buds form slender and spirally coiled tendrils in cucumber and pumpkin.
  - (3) Stem is flattened and fleshy in Opuntia and modified to perform the function of leaves.
  - (4) Rhizophora shows vertically upward growing roots that help to get oxygen for respiration.
  - (5) Subaerially growing stems in grasses and strawberry help in vegetative propagation. Choose the correct answer from the options given below:
  - (a) (1) and (4) Only

(b) (2), (3), (4) and (5) Only

(c) (1), (2), (4) and

(e) Only (4) (2) and (3) Only

(a) Gibberellin



ABGK CLASSES

ABGK CLASSES

CLASSES

ABGK CLASSES

ABGK

CLASSES

ABGK

(c) Cytokinin

(d) ABA

to produce female flowers in the plants:

(b) Ethylene



(c) The tRNA is activated and the larger subunit of ribosome encounters mRNA

(b) Both the subunits join together to bind with mRNA

|--|

## **BIOLOGY**

20

CLASSES

ABGK CLASSES

MABGK CLASSES

CLASSES

ABGK CLASSES

CLASSES

- (d) The small subunit of ribosome encounters mRNA
- **118.** The device which can remove particulate matter present in the exhaust from a thermal power plant is :
  - (a) Incinerator

(b) Electrostatic Precipitator

(c) Catalytic Convertor

- (d) STP
- **119.** The flowers are Zygomorphic in:
  - (1) Mustard
- (2) Gulmohar
- (3) Cassia
- (4) Datura

(5) Chilly

Choose the correct answer from the options given below:

- (a) (2), (3) Only
- (b) (4), (5) Only
- (c) (3), (4), (5) Only (d) (1), (2), (3) Only
- **120.** Given below are two statements : one is labelled as

Assertion (A) and the other is labelled as Reason (R).

Assertion (A): Polymerase chain reaction is used in DNA amplification.

Reason (R): The ampicillin resistant gene is used as a selectable marker to check transformation

In the light of the above statements, choose the correct answer from the options given below:

- (a) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (b) (A) is correct but (R) is not correct
- (c) (A) is not correct but (R) is correct
- (d) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- 121. Which one of the following statements cannot be connected to Predation?
  - (a) It might lead to extinction of a species
  - (b) Both the interacting species are negatively impacted
  - (c) It is necessitated by nature to maintain the ecological balance
  - (d) It helps in maintaining species diversity in a community
- 122. Which one of the following never occurs during mitotic cell division?
  - (a) Movement of centrioles towards opposite poles
  - (b) Pairing of homologous chromosomes
  - (c) Coiling and condensation of the chromatids
  - (d) Spindle fibres attach to kinetochores of chromosomes
- 123. Which of the following is not a method of ex situ conservation?
  - (a) National Parks

(b) Micropropagation

(c) Cryopreservation

- (d) In vitro fertilization
- **124.** Given below are two statements :

**Statement I:** Mendel studied seven pairs of contrasting traits in pea plants and proposed the Laws of Inheritance.

**Statement II:** Seven characters examined by Mendel in his experiment on pea plants were seed shape and colour, flower colour, pod shape and colour, flower position and stem height.

In the light of the above statements, choose the correct answer from the options given below:

- (a) Both Statement I and Statement II are incorrect
- (b) Statement I is correct but Statement II is incorrect
- (c) Statement I is incorrect but Statement II is correct









ABGK CLASSES

ABGK CLASSES

ABGK

CLASSES

ABGK CLASSES

ABGK

CLASSES

ABGK CLASSES

**134.** XO type of sex determination can be found in :

(a) (1), (4) and (5) only



(b) (3), (4) and (5) only





≥6a

<b>B</b> AGARWAI	BANDHU	GYAN	KENDRA	RM

## **BIOLOGY**

ABGK CLASSES

ABGK

CLASSES

ABGK CLASSES

ABGK CLASSES


ABGK

CLASSES

ABGK CLASSES

(c) (1)-(ii), (2)-(iv), (3)-(i), (4)-(iii)

- (d) (1)-(iv), (2)-(i), (3)-(ii), (4)-(iii)
- 145. While explaining interspecific interaction of population, (+) sign is assigned for beneficial interaction, (–) sign is assigned for detrimental interaction and (0) for neutral interaction. Which of the following interactions can be assigned (+) for one specifies and (-) for another specifies involved in the interaction?
  - (a) Amensalim
- (b) Commensalism (c) Competition
- (d) Predation
- 146. Addition of more solutes in a given solution will:
  - (a) lower its water potential
- (b) make its water potential zero
- (c) not affect the water potential at all
- (d) raise its water potential
- **147.** Which part of the fruit, labelled in the given figure makes it a false fruit?



- (a) B → Endocarp
- (b)  $C \rightarrow Thalamus$  (c)  $D \rightarrow Seed$
- (d)  $A \rightarrow Mesocarp$
- 148. Which of the following occurs due to the presence of autosome linked dominant trait?
  - (a) Myotonic dystrophy

(b) Haemophilia

(c) Thalessemia

- (d) Sickle cell anaemia
- 149. If a geneticist uses the blind approach for sequencing the whole genome of an organism, followed by assignment of function to different segments, the methodology adopted by him is called as:
  - (a) Gene mapping

(b) Expressed sequence tags

(c) Bioinformatics

- (d) Sequence annotation
- 150. What is the role of large bundle sheath cells found around the vascular bundles in C<sub>4</sub> plants?
  - (a) To increase the number of chloroplast for the operation of Calvin cycle
  - (b) To enable the plant to tolerate high temperature
  - (c) To protect the vascular tissue from high light intensity
  - (d) To provide the site for photorespiratory pathway

## **ZOOLOGY SECTION-A**

- **151.** Nitrogenous waste is excreted in the form of pellet or paste by :
  - (a) Salamandra
- (b) Hippocampus
- (c) Pavo
- (d) Ornithorhynchus
- **152.** Select the incorrect statement with reference to mitosis:
  - (a) Spindle fibres attach to centromere of chromosomes
  - (b) Chromosomes decondense at telophase
  - (c) Splitting of centromere occurs at anaphase







(b) Lubrication of oral cavity

(a) Digestion of complex carbohydrates

<u>≥6</u>

	AGARWAL BANDHU GYAN KENDRA RM	BIOLO	<b>GY</b> (26)	
	(c) Digestion of disaccharides	(d) Control bacterial p	population in mouth	<b>G</b> ≤
162.	In an E. Coli strain i gene gets mutated a	` '	•	® ABGK
	ecule. If growth medium is provided with I	actose, what will be the	outcome?	
	(a) z, y, a genes will be transcribed			CLAS
	(b) z, y, a genes will not be translated			SES
	(c) RNA polymerase will bind the promote	er region		<b>©</b> ≪
400	(d) Only z gene will get transcribed		.905	
163.	Identify the asexual reproductive structure			Œ
161	(a) Conidia (b) Gemmules  If the length of a DNA molecule is 1.1 me		d) Zoospores	ABGK
104.	base pairs?	illes, what will be the a	pproximate number of	
	(a) $6.6 \times 10^9$ bp (b) $3.3 \times 10^6$ bp	(c) $6.6 \times 10^6$ bp (d)	d) 3.3 × 10 <sup>9</sup> bp	CLAS
165.	Which of the following is not a connective	• • • • • • • • • • • • • • • • • • • •	a, e.e	E I
	(a) Adipose tissue (b) Cartilage		d) Blood	S S
166.	Given below are two statements:		•	
	Statement I: Restriction endonucleases r	ecognise specific seque	ence to cut DNA known	<b>%</b>
	as palindromic nucleotide sequence.			ABGK
	Statement II: Restriction endonucleases	cut the DNA strand a lit	ttle away from the cen-	
	tre of the palindromic site.			CLAS
	In the light of the above statements, choosing given below:	se the most appropriat	e answer from the op-	3 E
	(a) Both <b>Statement I</b> and <b>Statement II</b> are	e incorrect		<b>S</b>
	(b) Statement I is correct but Statement			
	(c) Statement I is incorrect but Statemen			β
	(d) Both Statement I and Statement II are			ABGK
167.	Detritivores breakdown detritus into smal		ess <mark>is</mark> called:	1 _ 1
	(a) Fragmentation (b) Humification	(c) Decomposition (	d) <mark>C</mark> atabolism	[
168.	Which of the following statements are true	e for spermatogenesis l	out do not hold true for	355
	Oogenesis?			E S S≪
	(1) It results in the formation of haploid ga			
	(2) Differentiation of gamete occurs after t	. 00		<b>®</b> ≤
	(3) Meiosis occurs continuously in a mito	•		
	(4) It is controlled by the Luteinising horn (FSH) secreted by the anterior pituitar	,	Sumulating normone	ABGK
	(5) It is initiated at puberty	у		CLAS
	Choose the most appropriate answer from	n the options given belo	ow:	l CO
	, , ,	(c) (2), (3) & (5) only	(d) (3) & (e) only	E S
169.	Given below are two statements:			
	Statement I: Fatty acids and glycerols ca	annot be absorbed into	the blood.	
	Statement II: Specialized lymphatic cap	illaries called lacteals c	arry chylomicrons into	Ø∜ A E
	lymphatic vessels and ultimately into the			<sup>®</sup> ABGK
	In the light of the above statements, choose	e the most appropriate a	nswer from the options	CLAS
	given below:	- lu		ß
	(a) Both <b>Statement I</b> and <b>Statement II</b> are	eincorrect		ES

- (a) Both Statement I and Statement II are incorrect
- (b) Statement I is correct but Statement II is incorrect
- (c) Statement I is incorrect but Statement II is correct









(b) (A) is correct but (R) is not correct(c) (A) is not correct but (R) is correct

36

## 📵 AGARWAL BANDHU GYAN KENDRA RM [

## **BIOLOGY**

28

ABGK CLASSES

ABGK

CLASSES

ABGK

CLASSES

ABGK CLASSES

CLASSES

ABGK CLASSES

- (d) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- 178. Given below are two statements:

**Statement I:** Mycoplasma can pass through less than 1 micron filter size.

Statement II: Mycoplasma are bacteria with cell wall.

In the light of the above statements, choose the most appropriate answer from the options given below

- (a) Both Statement I and Statement II are incorrect
- (b) Statement I is correct but Statement II is incorrect
- (c) Statement I is incorrect but Statement II is correct
- (d) Both Statement I and Statement II are correct
- 179. Regarding Meiosis, which of the statements is incorrect?
  - . Regarding Melosis, which of the statements is incorrect
  - (a) DNA replication occurs in S phase of Meiosis-II
  - (b) Pairing of homologous chromosomes and recombination occurs in Meiosis-I
  - (c) Four haploid cells are formed at the end of Meiosis-II
  - (d) There are two stages in Meiosis, Meiosis-I and II
- 180. In-situ conservation refers to:
  - (a) Conserve only high-risk species
- (b) Conserve only endangered species
- (c) Conserve only extinct species tem
- (d) Protect and conserve the whole ecosys-
- **181.** At which stage of life the oogenesis process is initiated?
  - (a) Embryonic development stage
- (b) Birth

(c) Adult

- (d) Puberty
- **182.** Which of the following is a correct match for disease and its symptoms?
  - (a) Tetany High Ca<sup>2+</sup> level causing rapid spasms.
  - (b) Myasthenia gravis Genetic disorder resulting in weakening and paralysis of skeletal muscle
  - (c) Muscular dystrophy An auto immune disorder causing progressive degeneration of skeletal muscle
  - (d) Arthritis Inflammed joints
- **183.** Given below are two statements:

**Statement I**: Autoimmune disorder is a condition where body defense mechanism recognizes its own cells as foreign bodies.

**Statement II:** Rheumatoid arthritis is a condition where body does not attack self cells. In the light of the above statements, choose the most appropriate answer from the options given below:

- (a) Both Statement I and Statement II are incorrect
- (b) Statement I is correct but Statement II is incorrect
- (c) Statement I is incorrect but Statement II is correct
- (d) Both **Statement I** and **Statement II** are correct
- **184.** In gene therapy of Adenosine Deaminase (ADA) deficiency, the patient requires periodic infusion of genetically engineered lymphocytes because :
  - (a) Gene isolated from marrow cells producing ADA is introduced into cells at embryonic stages
  - (b) Lymphocytes from patient's blood are grown in culture, outside the body.





## 😥 AGARWAL BANDHU GYAN KENDRA RM

## **BIOLOGY**

29

ABGK CLASSES

ABGK CLASSES

MABGK CLASSES

ABGK CLASSES

ABGK

CLASSES

ABGK CLASSES

- (c) Genetically engineered lymphocytes are not immortal cells.
- (d) Retroviral vector is introduced into these lymphocytes.
- **185.** Breeding crops with higher levels of vitamins and minerals or higher proteins and healthier fats is called:
  - (a) Bio-remediation (b) Bio-fortification (c) Bio-accumulation (d) Bio-magnification

#### **SECTION-B**

- 186. Which one of the following statements is correct?
  - (a) The tricuspid and the bicuspid valves open due to the pressure exerted by the simultaneous contraction of the atria
  - (b) Blood moves freely from atrium to the ventricle during joint diastole.
  - (c) Increased ventricular pressure causes closing of the semilunar valves.
  - (d) The atrio-ventricular node (AVN) generates an action potential to stimulate atrial contraction
- 187. Select the incorrect statement regarding synapses:
  - (a) Electrical current can flow directly from one neuron into the other across the electrical synapse.
  - (b) Chemical synapses use neurotransmitters
  - (c) Impulse transmission across a chemical synapse is always faster than that across an electrical synapse.
  - (d) The membranes of presynaptic and postsynaptic neurons are in close proximity in an electrical synapse.
- **188.** Select the incorrect statement with respect to acquired immunity.
  - (a) Anamnestic response is elicited on subsequent encounters with the same pathogen.
  - (b) Anamnestic response is due to memory of first encounter.
  - (c) Acquired immunity is non-specific type of defense present at the time of birth.
  - (d) Primary response is produced when our body encounters a pathogen for the first time.
- 189. Match List-I with List-II

## List-I

### (Biological Molecules)

- (1) Glycogen
- (2) Globulin
- (3) Steroids
- (4) Thrombin

### List-II

## (Biological functions)

- (i) Hormone
- (ii) Biocatalyst
- (iii) Antibody
- (iv) Storage product

Choose the correct answer from the options given below:

- (a) (1) (iv), (2) (ii), (3) (i), (4) (iii)
- (b) (1) (ii), (2) (iv), (3) (iii), (4) (i)
- (c) (1) (iv), (2) (iii), (3) (i), (4) (ii)
- (d) (1) (iii), (2) (ii), (3) (iv), (4) (i)
- **190.** Match **List-II** with **List-II** with respect to methods of Contraception and their respective actions.

#### List-l

- (1) Diaphragms
- (2) Contraceptive Pills
- (3) Intra Uterine Devices
- (4) Lactational Amenorrhea

#### List-II

- (i) Inhibit ovulation and Implantation
- (ii) Increase phagocytosis of sperm within Uterus
- (iii) Absence of Menstrual cycle and ovulation following parturition
- (iv) They cover the cervix blocking the entry of sperms

Choose the correct answer from the options given below:



®IØAQANWAL DANDIIU QIAN NLNDNA NN	(E) AGARWAL I	BANDHU	GYAN	KENDRA	RM
-----------------------------------	---------------	--------	------	--------	----

### BIOLOGY

30

ABGK CLASSES

ABGK

MABGK CLASSES

CLASSES

ABGK

CLASSES

ABGK

CLASSES

- (a) (1) (iv), (2) (i), (3) (ii), (4) (iii)
- (b) (1) (ii), (2) (iv), (3) (i), (4) (iii)
- (c) (1) (iii), (2) (ii), (3) (i), (4) (iv)
- (d) (1) (iv), (2) (i), (3) (iii), (4) (ii)
- **191.** Ten E.coli cells with 15N dsDNA are incubated in medium containing 14N nucleotide. After 60 minutes, how many E.coli cells will have DNA totally free from 15N?
  - (a) 40 cells
- (b) 60 cells
- (c) 80 cells
- (d) 20 cells
- **192.** The recombination frequency between the genes A & C is 5%, B & C is 15%, B & D is 9%, A & B is 20%, C & D is 24% and A & D is 29%. What will be the sequence of these genes on a linear chromosome?
  - (a) D, B, A, C
- (b) A, B, C, D
- (c) A, C, B, D
- (d) A, D, B, C

193. Given below are two statements:

**Statement I**: In a scrubber the exhaust from the thermal plant is passed through the electric wires to charge the dust particles.

**Statement II**: Particulate matter (PM 2.5) cannot be removed by scrubber but can be removed by an electrostatic precipitator.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (a) Both Statement I and Statement II are incorrect
- (b) Statement I is correct but Statement II is incorrect
- (c) Statement I is incorrect but Statement II is correct
- (d) Both Statement I and Statement II are correct
- **194.** Statements related to human Insulin are given below.

Which statement(s) is/are correct about genetically engineered Insulin?

- (1) Pro-hormone insulin contain extra stretch of C-peptide
- (2) A-peptide and B-peptide chains of insulin were produced separately in E.coli, extracted and combined by creating disulphide bond between them.
- (3) Insulin used for treating Diabetes was extracted from Cattles and Pigs.
- (4) Pro-hormone Insulin needs to be processed for converting into a mature and functional hormone.
- (5) Some patients develop allergic reactions to the foreign insulin.

Choose the most appropriate answer from the options given below:

(a) (2) only

(b) (3) and (4) only

(c) (3), (4) and (5) only

- (d) (1), (2) and (4) only
- 195. Which of the following statements is not true?
  - (a) Sweet potato and potato is an example of analogy
  - (b) Homology indicates common ancestry
  - (c) Flippers of penguins and dolphins are a pair of homologous organs
  - (d) Analogous structures are a result of convergent evolution
- **196.** Which of the following is not a desirable feature of a cloning vector?
  - (a) Presence of a marker gene
  - (b) Presence of single restriction enzyme site

## 🕀 AGARWAL BANDHU GYAN KENDRA RM

- **BIOLOGY**

ABGK CLASSES

ABGK CLASSES

MABGK CLASSES

ABGK CLASSES

ABGK

CLASSES

ABGK CLASSES

- (c) Presence of two or more recognition sites
- (d) Presence of origin of replication
- 197. Match List-I with List-II

List-I

- (1) Bronchioles
- (2) Goblet Cell
- (3) Tendons
- (4) Adipose Tissue

List-II

- (i) Dense Regular Connective Tissue
- (ii) Loose Connective Tissue
- (iii) Glandular Tissue
- (iv) Ciliated Epithelium

Choose the correct answer from the options given below:

- (a) (1) (i), (2) (ii), (3) (iii), (4) (iv)
- (b) (1) (ii), (2) (i), (3) (iv), (4) (iii)
- (c) (1) (iii), (2) (iv), (3) (ii), (4) (i)
- (d) (1) (iv), (2) (iii), (3) (i), (4) (ii)
- **198.** Which of the following is a correct statement?
  - (a) Bacteria are exclusively heterotrophic organisms.
  - (b) Slime moulds are saprophytic organisms classified under Kingdom Monera.
  - (c) Mycoplasma have DNA, ribosome and cell wall.
  - (d) Cyanobacteria are a group of autotrophic organisms classified under kingdom Monera.
- **199.** Which of the following are not the effects of Parathyroid hormone?
  - (1) Stimulates the process of bone resorption
  - (2) Decreases Ca2+ level in blood
  - (3) Reabsorption of Ca<sup>2+</sup> by renal tubules
  - (4) Decreases the absorption of Ca2+ from digested food
  - (5) Increases metabolism of carbohydrates

Choose the most appropriate answer from the options given below:

- (a) (2), (4) and (5) only (b) (1) and (5) only (c) (2) and (3) only (d) (1) and (3) only
- 200. If a colour blind female marries a man whose mother was also colour blind, what are the chances of her progeny having colour blindness?
  - (a) 50%
- (b) 75%
- (d) 25%



# **BAGARWAL BANDHU GYAN KENDRA RM**

## **BIOLOGY**

32

Δ	NSI	<b>NFR</b>	KEY

<b>≥</b> ©				ANSWER	KEY				(§
SE	PHY	SICS	CHEM	IISTRY		BIOL	.OGY		ABGK
CLAS	SecA	SecB	SecA	SecB	SecA	SecB	SecA	SecB	
	1. (a)	36. (c)	51. (b)	86. (a)	101. (b)	136. (d)	151. (c)	186. (b)	CLAS
ABGK	2. (a)	37. (c)	52. (c)	87. (d)	102. (b)	137. (a)	152. (a)	187. (c)	SES
S)	3. (c)	38. (b)	53. (b)	88. (d)	103. (b)	138. (b)	153. (b)	188. (c)	Œ
	4. (a)	39. (a)	54. (d)	89. (a)	104. (a)	139. (a)	154. (a)	189. (c)	
<b>F</b>	5. (b)	40. (d)	55. (a)	90. (b)	105. (d)	140. (a)	155. (b)	190. (a)	(F
ES	6. (a)	41. (b)	56. (d)	91. (d)	106. (c)	141. (b)	156. (c)	191. (b)	Þ
8	7. (a)	42. (a)	57. (d)	92. (a)	107. (b)	142. (a)	157. (b)	192. (c)	20
GLA	8. (b)	43. (a)	58. (c)	93. (d)	108. (b)	143. (b)	158. (a)	193. (a)	ם
🗸	9. (a)	44. (b)	59. (c)	94. (c)	109. (b)	144. (a)	159. (b)	194. (a)	CLASS
ABG	10. (c)	45. (a)	60. (a)	95. (b)	110. (b,c)	145. (d)	160. (a)	195. (c)	SES
À	11. (b)	46. (a)	61. (a)	96. (a)	111. (d)	146. (a)	161. (c)	196. (c)	(3)
	12. (d)	47. (b)	62. (c)	97. (B)	112. (b)	147. (b)	162. (b)	197. (d)	
<b>76</b> )	13. (d)	48. (b)	63. (d)	98. (d)	113. (a)	148. (a)	163. (a)	198. (d)	(3)
ES	14. (c)	49. (a)	64. (d)	99. (d)	114. (a)	149. (d)	164. (d)	199. (a)	₽
8	15. (a)	50. (b)	65. (d)	100. (c)	115. (b)	150. (a)	165. (c)	200. (c)	2
CLA	16. (c)		66. (c)		116. (a)		166. (d)		ָ קַּ
$  \vee  $	17. (a)		67. (c)		117. (d)		167. (a)		CLASS
ABG	18. (b)		68. (b)		118. (b)		168. (c)		SE S
<b>≥</b> 60	19. (B)		69. (b)		119. (a)		169. (d)		(9:
	20. (b)		70. (a)		120. (a)		170. (d)		
<b>≥</b> €0)	21. (a)		71. (b)		121. (b)		171. (c)		(B
ES	22. (c)		72. (a)		122. (b)		172. (a)		A B G
8 8	23. (c) 24. (c)		73. (c)		123. (a) 124. (d)		173. (d) 174. (d)		~
GLA	24. (c) 25. (b)		74. (d) 75. (c)		124. (d) 125. (c)		174. (u) 175. (c)		C L A
BGK	26. (b)		76. (c)		126. (c)		175. (c) 176. (b)		0
∢	20. (b) 27. (b)		70. (c) 77. (a)		120. (c) 127. (a)		170. (b) 177. (d)		E
26)	28. (b)		77. (a) 78. (a)		127. (a) 128. (b)		177. (a) 178. (b)		(9
	29. (d)		79. (a)		129. (a)		179. (b) 179. (a)		
<b>≥</b> €0	30. (a)		80. (b)		130. (a)		173. (a) 180. (d)		3
SES	31. (b)		81. (b)		131. (b)		181. (a)		86
امرا	32. (b)		82. (c)		132. (a)		182. (d)		^
GLA	33. (c)		83. (d)		133. (b)		183. (b)		L A
BGK	34. (b)		84. (c)		134. (b)		184. (c)		8
AB	35. (b)		85. (b)		135. (d)		185. (b)		E S S

MABGK CLASSES



WABGK CLASSES